МіскоОртіх



MX 1150 (T)

Stereomicroscope

- Professional ZOOM stereo microscope
- Trinocular tube for photo/video documentation
- Ergonomic design
- New optics with high resolution and large depth of field
- Zoom range: 8–50x (300x)
- Widefield eyepieces 10x/22 mm
- Illumination system: transmitted light, incident light
- LED illumination adjustable: incident and transmitted light
- Optical system provided with Anti-Fungus treatment





Specifications



	MX 1150 (T) stereomicroscope
	General characteristics
Magnification	8–50x (300x)
Head	compensation trinocular head, 360° rotatable, 45° inclined, interpupillary distance 57-75 mm
Eyepieces	widefield WF 10x/22 mm
Microscope body	sturdy metallic base 180x240 mm with supportive rubber feet
ZOOM tube	0.8–5.0x, ZOOM ratio 1:6.3x
Working distance	115 mm
Light source	— adjustable— incident light: LED 12 V, 3 W— transmitted light: LED 12 V, 6 W
Power requirements	built-in, 220 V, 50 Hz
Fuses	250 V, 2 A
Temperature, humidity	18–35 °C, less than 85 %
Fuses	250 V, 2 A

18-35 °C, less than 85 %

Ordering Information	
Description	Code
MX 1150 (T) trinocular stereo microscope, standard set	09.1500.03

MX 1150 (T) trinocular stereo microscope, standard set



Temperature, humidity

^{*} Product images are shown for reference only and final product may differ